



January 1, 2025

Dear Valued Customer,

This letter is to inform you that, effective **June 1, 2025**; STERIS can no longer support the following product as we consider it no longer serviceable. This means a specific device is no longer available and repairs cannot be guaranteed. Migrating to a new replacement unit is recommended for obsolete units.

SafeCycle™ 40

Certain critical replacement parts for this product are no longer available due to supply issues and technological obsolescence. In addition, STERIS may be limited or unable to support third party software/OS patches and security updates.

No new service contracts for this equipment will be initiated.

STERIS strives to provide the highest level of Customer support in the industry. As part of our ongoing effort to better serve our Customers, we want to inform you of our policy regarding part obsolescence and our product management philosophy.

There are many factors that contribute to our overall product management philosophy. Rapid advancements in technology, the ever-changing standards of care and the multitude of mandates regarding regulatory compliance are just a few of the market drivers that factor into our overall decision-making process. We continually strive to incorporate advancements in technology and shape best practice standards to not only better serve our Customers but ultimately provide solutions to the marketplace that put patient safety at the forefront.

We recognize the impact an obsolescence notification has on your operation. To ensure your operating needs are met, please contact a STERIS Sales Representative to arrange a meeting to develop a cost-effective program to replace your existing equipment.

Sincerely,

Tumi Oredein
Service Product Manager, IPT